



CONT. TRACK W/ (2) SCREWS @ 16" O.C. MAX.
 DEFLECTION GAP
 SLIDE CLIP @ EACH
 8" BOX BEAM HEAD

EXISTING BEADED CEILING
 REMAIN
 FIBER CEMENT PANEL SIDING
 1/2" FIBER CEMENT TRIM
 FINISH

SEE FINISH & TRIM SCHEDULE FOR MORE INFO ON INTERIOR FINISHES

GLASS WINDOW UNIT

WINDOW SILL & TRIM TO MATCH EXISTING
 WOOD NAILER
 3-5/8" MTL. STUDS @ 16" O.C. MAX.
 R-19 FIBERGLASS BATT INSUL. W/ CONT. VAPOR BARRIER
 5/8" INT. GWB

WOOD NAILER
 W/ WATER TABLE SILL TO MATCH EXISTING
 THRU-WALL FLASHING
 HOLES @ 8" O.C.
 MATCH VENEER TO MATCH EXIST.
 MASONRY TIES @ 16" O.C. MAX. VERT. & HORIZ.
 1" AIR SPACE
 EXT. GWB SHEATHING
 TYVEK AIR BARRIER
 COMPRESSIBLE FILLER

2X4 P.T. BOTTOM PLATE ATTACHED TO SLAB PAF @ 12" O.C. MAX.
 NEW BRICK PAVERS TO MATCH EXIST.
 4" CONC. SLAB ON GRADE W/ POLY VAPOR BARRIER
 2"X24" PERIMETER BEAM

NEW BRICK PAVERS W/ NEW MASONRY TIES @ 16" O.C. MAX. W/ CONT. VAPOR BARRIER
 MTL. FLASHING @ 1/2" WALL
 DOWN SLAB 24" MIN.

4" MIN. GRAVEL BASE
 COMPACTED FILL

4" CONT. REBAR

VESTIBULE TYP. WALL SECTION